

AMENDMENTS TO CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the present application.

1. (Currently Amended) A molding composition comprising:
polyamide;

0.1 to 8 parts by weight of electrically conductive carbon in particulate form selected from the group consisting of carbon black, graphite and carbon nanofibrils; and

0.5 to 50 parts by weight of a graft polymer, wherein said graft polymer is the product of polymerizing at least one monomer selected from the group consisting of styrene, α -methylstyrene, halogen-substituted or alkyl-ring-substituted styrenes, (meth)acrylic C₁-C₈ alkyl esters, ~~methyl methacrylate, n-butyl acrylate and tert-butyl or mixtures thereof~~ and at least one monomer selected from the group consisting of unsaturated nitriles, ~~acrylonitrile, methacrylonitrile,~~ (meth)acrylic C₁-C₈ alkyl ester, ~~methyl methacrylate, n-butyl acrylate, tert-butyl acrylate, and~~ derivatives of unsaturated carboxylic acids, ~~maleic anhydride and N-phenylmaleimide or mixtures thereof,~~ grafted on a diene rubber graft base having glass transition temperature < 10° C, with the proviso that EPR or EPDM rubber based graft polymers are excepted,

wherein the sum of the parts by weight of the polyamide, conductive carbon and graft polymer totalling 100, and

wherein said molding composition does not ~~consist of~~ comprise polyphenylene ether or ~~modified polyphenylene ether~~.

2. (Currently Amended) The molding composition of Claim 1, further comprising up to 30 parts by weight ~~non-carbon-based~~ inorganic mineral particles selected from talc, mica, clay-bank minerals, montmorillonite or organophilic form modified by ion exchange, kaolin, vermiculite, wollstonite, bentonite, hydrotalcite, hectorite, which particles may be surface-modified with organic molecules, the sum of the parts by weight of the polyamide, conductive carbon, graft polymer and ~~non-carbon-based~~ mineral particles totalling 100.

3. (Cancelled)

4. (Currently Amended) The molding composition of Claim 1, comprising
 - A) 40 to 90 parts by weight polyamide
 - B) 0.5 to 50 parts by weight of said graft polymer
 - C) 0.1 to 30 parts by weight ~~non-carbon-based~~ inorganic mineral particles
 - D) 0.1 to 8 parts by weight of said electrically conductive carbon particlesthe sum of the parts by weight of A) through D) totalling 100, said molding composition being thermoplastic.
5. (Cancelled)
6. (Cancelled)
7. (Previously Presented) The composition according to Claim 1, wherein said graft base is at least one member selected from the group consisting of diene rubbers, copolymers of diene rubbers, acrylate rubbers, polyurethane/silicone rubbers, chloroprene rubbers and ethylene/vinyl-acetate rubbers.
8. (Previously Presented) The composition according to Claim 1, wherein said graft base is at least one member selected from the group consisting of diene rubbers, copolymers of diene rubbers and acrylate rubbers.
9. (Previously Presented) The composition according to Claim 1, wherein the graft base is polybutadiene.
10. (Cancelled)
11. (Original) The composition according to Claim 2, wherein the mineral particles are selected from the group consisting of talc, mica, clay-bank minerals, montmorillonite, kaolin, vermiculite and wollastonite.

12. (Original) The composition according to Claim 2 wherein mineral particles are talc.

13.-14. (Cancelled)

15. (Original) A molded article comprising the composition of Claim 1.

16. (Original) A molded article comprising the composition of Claim 4.